

Grumman Pontoons

Whether you enjoy cruising, fishing, camping, playing, or just exploring the water, Grumman is dedicated to building you a superior product. Investing in a Grumman pontoon will provide you with years of comfort and luxury as you enjoy your time on the water.



The Heritage

Our Heritage models are known for their elegant finishes and fine lines. The luxurious lounge furniture and spacious deck are perfect for entertaining and exploring in style. The Heritage is available in eight distinctive floor plans to suit your individual boating needs. Move your entertaining space outside and enjoy all of the amenities your Grumman has to offer.



















- 1 Lounge Seating Storage
- 2 Privacy Room
- 3 LED Navigation Light
- 4 Pull-up Bow Cleat
- Jensen Stereo System
- 6 Heritage Console
- 7 Kidney-shaped Table



H 2485 TCP
* Shown with optional slide-top rolling cooler




H 2285 CFP
* Shown with standard feature
Kidney-shaped Table

The Heritage Standard Features

- Fence Riser
- Stereo Speakers
- Stainless Steel Bow Eye
- Reclining Captain's Helm Chair Standard in all Heritage Models
- 12 Volt Power Outlet
- LED Docking Light Standard in all Heritage Models
- Six Step Aft Ladder
- Finger Guards
- Conversation Lounge Area
- Grumman Non-Slip Logo
- LED Floor Lighting Standard in all Heritage Models
- Front Lounge Area Standard in all Heritage Models
























Heritage Graphics Packages

Exterior Rail System


Our Heritage line currently offers three different designs in five color options. Panel designs can also be ommitted for a single flat color.



Single color with black

Grumman Pontoons are built to the highest standard. They were developed from the same technology used to build Grumman aircraft with superior engineering, fabrication, and welding. Grumman pontoons are built to surpasses all others. When you buy a Grumman you've bought the best.

Heritage Pontoons





20' Tube Length 8.5' Deck Width 25" Tube Diameter Max. Carrying Capacity: 2,455 lbs. Pontoon Boat Weight: 1,890 lbs. Max. Allowable HP: 100

.090" Pontoon Tube Thickness 5052 Marine Grade Aluminum Alloy Max. People Cap.: 1,777 lbs. or 12 people

STANDARD FEATURES



- 8 Ft Dlx Recacril BiminiTop w/ 1.25" Ribbed Clear Anodized Aluminum frame
- 22 Gallon Fuel tank in motorwell

- 25" Pontoon Tubes
 Deluxe Fiberglass Console
 Deluxe UV Stabilized Marine Vinyl Material
- Docking Lights
- Fence Riser for Easy Deck Wash down
- Full Length Extruded Pontoon Keel

- Full Length Pontoon M Bracket
 Gate and Fence Finger Guards
 Hooded Nose Cone w/Spray Fins
- Instruments: Speedometer, Tachometer, Volt Gauge, Fuel Gauge, Trim Gauge.
- · Jenson Am/Fm Bluetooth USB input for mp3 player w/ 4 speakers

 Kidney Shaped Table

 LED Nav Lights and Floor Lights

- Lifetime Warranted Marine Grade Plywood Deck
- Port & Starboard Stern Stainless Steel Tie Downs

- Privacy Sundeck Cushion & Privacy Curtain
 Rear Entry with 6 Step Aft Boarding Ladder
 Recliner Helm Seat w/Arms
 Screened Aluminum Side wall material

- Silver Colored Aluminum Casted Corners
- Stainless Steel Bow Eye
 Stainless Steel Bow Lift-Up Cleats
 Stainless Steel Cup Holder
 Stainless Steel Fasteners

- · Stainless Steel Steering Wheel
- Starboard Bow Bench with Radius Bench and Chaise Lounge Flip Cushion
- 12 Volt Power Plug
- Vinyl Flooring

OPTIONAL

- Additional Table Base
 Barbecue Grill
 Bimini Conversation Area LED Light
 Bimini Trailering Arm Kit

- Hummingbird Fish Finder
- Hummingbird GPS/Fish FinderLog Protective Side KeelsMooring Cover

- Seat Covers
 Slide-top Rolling Cooler
- SkiTow Bar
- Tackle Tray with 2 Compartments
- Tackle Tray with 3 CompartmentsUnder Deck Skin "Wave Tamer"

Grumman Heritage H2285CP

22' CRUISE & PRIVACY ROOM

22'Tube Length 8.5' Deck Width 25" Tube Diameter Max. Carrying Capacity: 2,800 lbs. Pontoon Boat Weight: 2,045 lbs. approx. Max. Allowable HP: 115

.090" Pontoon Tube Thickness 5052 Marine Grade Aluminum Alloy Max. People Capacity: 1,943 lbs. or 14 people

STANDARD FEATURES



- 9 Ft DIx Recacril Bimini Top w/ 1.25" Ribbed Clear Anodized Aluminum frame
- · 12 Volt Power Plug
- 22 Gallon Fuel tank in motorwell
- Aft Bench w/battery Cut Out & Port Bench with Arm Rest
 Deluxe Fiberglass Console
 Deluxe UV stabailized Marine Vinyl Material

- Docking Lights
- Fence Riser for easy Deck Wash down
- Full Length Pontoon M Bracket
- Gate and Fence Finger Guards Hooded Nose Cone w/Spray Fins
- Instruments: Speedometer, Tachometer, Fuel Gauge, Volt Gauge and Trim Gauge.
- Jenson Am/Fm Bluetooth USB input for mp3 player w/ 4
- Kidney Shaped TableLED Floor LightsLED Nav Lights

- Lifetime Warranted Marine Grade Plywood Deck
- · Port Bow Bench with Radius Bench and Chaise

Lounge Flip Cushion

- Privacy Sundeck Cushion and Curtain
 Rear Entry with 6 Step Aft Boarding Ladder
 Recliner Helm Seat w/Arms
- · Screened Aluminum Side wall material
- · Silver Colored Aluminum Cast Corners
- Stainless Steel Bow Eye
 Stainless Steel Bow Lift Up Cleats
 Stainless Steel Cup Holders
 Stainless Steel Fasteners

- Stainless Steel Steering Wheel
- · Starboard Bow Bench with Radius Benchand Chaise Lounge Flip Cushion
- Vinyl Flooring

- · Additional Table Base
- Barbecue Grill
 Bimini Conversation Area LED Light
 Bimini Trailering Arm Kit
 Camping Enclosure
 Hummingbird Fish Finder
 Hummingbird GPS/Fish Finder

- Mini Tri-toon
 Mooring Cover
 Seat Covers
 Slide-top Rolling Cooler
 Ski Tow Bar
- Tackle Tray with 2 Compartments
- Tackle Tray with 3 Compartments
 Tilt Out Trash Container
 Two Recliners with Arms*
 Under Deck Skin "Wave Tamer"




Grumman Heritage H2285CF

22' CRUISE, FISH

22' Tube Length 8.5' Deck Width 25" Tube Diameter Max. Carrying Capacity: 2,800 lbs. Pontoon Boat Weight: 2,045 lbs. approx. Max. Allowable HP: 115

.090" Pontoon Tube Thickness. 5052 Marine Grade Aluminum Alloy Max. People Capacity: 1,943 lbs. or 14 people



STANDARD FEATURES

- Deluxe Fiberglass Console.190" Aluminum Motor Pod & Transom
- 2 Bow Port Recliners with Armrests
- · 2 Pedestal Fishing Chairs Aft
- 9 Ft Deluxe Recacril Bimini Top w/ 1.25" Ribbed Clear Anodized Aluminum frame

- 22 Gallon Fuel tank in motorwell
 Aft Aerated Livewell
 Aft Conversation Area Bench with Battery Cutout and
- Deluxe UV Stabilized Marine Vinyl Furniture
- Docking Lights
- Fence Riser
- Full Length Extruded Pontoon Keel
 Full Length Pontoon M Brackets
 Gate and Fence Finger Guards

- Graphics Package
- Hooded Nose Cone with Spray Fins
- Instruments: Speedometer, Tachometer, Volt Gauge, Fuel
- Gauge, Trim Gauge.

 Jenson Am/Fm Bluetooth USB input for mp3 player with
- Kidney-Shaped TableLED Floor Lights

- LED Navigation LightsLifetime Marine-Grade Plywood DeckPort and Starboard Stern Stainless Steel Tie-downs
- Rear Entry with 6 Step Aft Boarding Ladder
- Recliner Helm Seat with Arms
- · Screened Aluminum Side wall material
- Silver Colored Aluminum Cast Corners
 Stainless Steel Bow Eye
 Stainless Steel Bow Lift-up Cleats
 Stainless Steel Cup Holders

- Stainless Steel Fasteners
- · Stainless Steel Steering Wheel

- Starboard Bow Bench and Chaise Lounge Flip Cushion
 Textured Vinyl Deck Aft Fishing Area
 Two-piece Sundeck Cushion with Privacy Room
 Two 12 Volt Power Outlets
- Vinyl Flooring

OPTIONAL

- Additional Table BaseBarbecue Grill
- Bimini Conversation Area LED LightBimini Trailering Arm Kit
- Camping Enclosure
- Hummingbird GPS/Fish Finder
 Log Protective Side Keels
 Mini Tri-toon
 Mooring Cover
 Ski Tow Bar

- Slide-top Rolling Cooler
- Tackle Tray with 3 CompartmentsUnder Deck Skin "Wave Tamer"

Grumman Heritage H2285TCP 22' TRI-TOON, CRUISE & PRIVACY ROOM

22' Tube Length 8.5' Deck Width

25" Diameter Center Tube

Max. Carrying Capacity: 3,131 lbs. Pontoon Boat Weight: 2,595 lbs. approx. 23" Diameter Port & Starboard Tubes

Max. Allowable HP: 175 .090" Pontoon Tube Thickness Max. People Capacity: 1,943 lbs. or 14 people





- 9 Ft Dlx Recacril Bimini Top w/ 1.25" Ribbed Clear Anodized Aluminum frame
 12 Volt Power Plug
 22 Gallon Fuel tank in motorwell

- 25" Pontoon Tubes
- Aft Bench w/battery Cut Out & Port Bench with Arm Rest
- Deluxe Fiberglass ConsoleDeluxe UV stabailized Marine Vinyl Material
- Docking Lights
 Fence Riser for easy Deck Wash down
 Full Length Pontoon M Bracket

- Gate and Fence Finger Guards
- Helm Platform Raised & Carpeted Hooded Nose Cone w/Spray Fins

- Instruments: Speedometer, Tachometer, Fuel Gauge, Volt Gauge and Trim Gauge.
 Jenson Am/Fm Bluetooth USB input for mp3 player w/ 4
- speakers
- Kidney Shaped Table
- LED Floor Lights
- LED Nav LightsLifetime Warranted Marine Grade Plywood Deck

- · Port Bow Bench with Radius Bench and Chaise Lounge Flip Cushion
 Privacy Sundeck Cushion and Curtain
 Rear Entry with 6 Step Aft Boarding Ladder
 Recliner Helm Seat WArms

- Screened Aluminum Side wall material
- Silver Colored Aluminum Casted Corners

- Stainless Steel Bow Eye
 Stainless Steel Bow Lift Up Cleats
 Stainless Steel Cup Holders
 Stainless Steel Fasteners
- Stainless Steel Steering Wheel
- Starboard Bow Bench with Radius Bench and Chaise Lounge Flip Cushion
- Vinyl Flooring

- Barbecue Grill
 Bimini Conversation Area LED Light
 Bimini Trailering Arm Kit
 Camping Enclosure
 Hummingbird Fish Finder

- Hummingbird GPS/Fish Finder


- Mini Tri-toon
 Mooring Cover
 Seat Covers
 Slide-top Rolling Cooler
- Ski Tow Bar Tackle Tray with 2 Compartments
- Tackle Tray with 3 Compartments
 Tilt Out Trash Container
 Two Recliners with Arms*
 Under Deck Skin "Wave Tamer"

Grumman Heritage H2285TCF

22' TRI-TOON, CRUISE, FISH

22'Tube Length 8.5' Deck Width 25" Diameter Center Tube Max. Carrying Capacity: 3,131 lbs. Pontoon Boat Weight: 2,595 lbs. approx. 23" Diameter Port & Starboard Tubes

Max. Allowable HP: 175 .090" Pontoon Tube Thickness Max. People Capacity: 1,943 Lbs. or 14 people



STANDARD FEATURES

- .190" Aluminum Motor Pod & Transom
- 9 Ft Dlx Recacril Bimini Top with 1.25" Ribbed Clear

- 22 Gallon Fuel tank in motorwell
 Aft Bench with Battery Cut Out and Port
 Bench w/Chaise Lounge Flip Cushion
 Center Tube Storage & Hatch Center Tube Storage Bilge Pump Ski Tow Bar
- Deluxe Fiberglass Console
- Deluxe UV Stabailized Marine Vinyl Material

- Docking LightsFence Riser for Easy Deck Wash DownFull Length Extruded Pontoon Keel
- Full Length Pontoon M Bracket
- Gate and Fence Finger Guards
- · Helm Platform Raised & Carpeted
- Hooded Nose Cone w/Spray Fins
- Instruments: Speedometer, Tachometer, Volt Guage, Fuel
 Guage, Trim Guage.
 Jenson Am/Fm Bluetooth USB input for mp3 player with 4
 Textured Vinyl Flooring
- speakers
- Kidney Shaped Table
- LED Floor and LED Nav Lights

- Lifetime Warranted Marine Grade Plywood Deck
- Port & Starboard Stern Stainless Steel Tie Downs
- Port Bow Bench w/Radius Bench and Chaise Lounge Flip
- Privacy Sundeck Cushion and Privacy Curtain
 Rear Entry with 6 Step Aft Boarding Ladder
 Recliner Helm Seat with Arms

- Screened Aluminum Side wall material
- Sea Star Hydraulic Steering
- Silver Colored Aluminum Cast Corners
- Stainless Steel Bow Eye
 Stainless Steel Bow Lift-Up Cleats
 Stainless Steel Cup Holders
- Stainless Steel Fasteners
- Stainless Steel Steering Wheel
- Starboard Bow Bench with Radius Bench and Chaise
- Lounge Flip Cushion
- Twin Under Deck Wave Tunnels
 12 Volt Power Plugs
 Two Recliners with Arms

OPTIONAL

- Additional Table Base
 Barbecue Grill
 Bimini Trailering Arm Kit
 Bimini Conversation Area LED Light


- Hummingbird GPS/Fish Finder
 Log Protective Side Keels
 Mooring Cover
 Seat Covers
 Slide-top Rolling Cooler

- Tackle Tray with 2 Compartments
- Tackle Tray with 3 Compartments
 Under Deck Skin "Wave Tamer"

Grumman Heritage H2485CP 22' CRUISE & PRIVACY ROOM

24' Tube Length 8.5' Deck Width 25" Tube Diameter Max. Carrying Capacity: 3,145 lbs. Pontoon Boat Weight: 2,210 lbs. approx. Max. Allowable HP: 140

.090" Pontoon Tube Thickness 5052 Marine Grade Aluminum Alloy Max. People Capacity: 2,286 Lbs. or 16 people



STANDARD FEATURES

- .190" Aluminum Motor Pod & Transom
- 9 Ft Dlx Recacril Bimini Top with 1.25" Ribbed Clear Anodized Aluminum frame
- · 22 Gallon Fuel tank in motorwell
- 25" Pontoon Tubes
- Aft Bench with Battery Cut Out and Port Bench with Chaise Lounge Flip Cushion

 Deluxe Fiberglass Console

 Deluxe UV Stabilized Marine Vinyl Material

- Docking Lights
- Fence Riser for Easy Deck Wash Down
- Full Length Extruded Pontoon Keel

- Full Length Pontoon M Bracket
 Gate and Fence Finger Guards
 Hooded Nose Cone with Spray Fins
- Instruments: Speedometer, Tachometer, Volt Guage, Fuel Guage, Trim Guage.
- Jenson Am/Fm Bluetooth USB input for mp3 player with 4 speakers
 Kidney Shaped Table
 LED Floor and LED Nav Lights

- Lifetime Warranted Marine Grade Plywood Deck

- Port & Starboard Stern Stainless Steel Tie Downs
 Port Bow Bench with Radius Bench and Chaise Lounge Flip
- · Privacy Sundeck Cushion and Privacy Curtain
- Rear Entry with 6 Step Aft Boarding Ladder

- Real Entry with 6 Step Art boarding Ladde
 Recliner Helm Seat with Arms
 Screened Aluminum Side wall material
 Silver Colored Aluminum Casted Corners
 Stainless Steel Bow Eye
 Stainless Steel Bow Lift-Up Cleats

- · Stainless Steel Cup Holder

- Stainless Steel Fasteners
 Stainless Steel Steering Wheel
 Starboard Bow Bench with Radius Bench and Chaise Lounge Flip Cushion
- 12 Volt Power Plugs
- Textured Vinyl Flooring

- Barbecue Grill
 Bimini Conversation Area LED Light
 Bimini Trailering Arm Kit
 Camping Enclosure
 Hummingbird Fish Finder

- Hummingbird GPS/Fish Finder
- Mini Tri-toon
 Mooring Cover
 Seat Covers
 Slide-top Rolling Cooler


- Ski Tow Bar
- Tackle Tray with 2 Compartments Tackle Tray with 3 Compartments
 Tilt Out Trash Container
 Two Recliners with Arms*
 Under Deck Skin "Wave Tamer"

Grumman Heritage H2485TCP

24'TRI-TOON, CRUISE & PRIVACY ROOM

24' Tube Length 8.5' Deck Width 25" Diameter Center Tube Max. Carrying Capacity: 3,145 lbs. Pontoon Boat Weight: 2,835 lbs. approx. 23" Diameter Port & Starboard Tubes

Max. Allowable HP: 200 .090" Pontoon Tube Thickness Max. People Capacity: 2,286 lbs. or 16 people



STANDARD FEATURES

- .190" Aluminum Motor Pod & Transom
- 9 Ft Dlx Recacril Bimini Top with 1.25" Ribbed Clear

- Antolized Administration
 22 Gallon Fuel tank in motorwell
 Aft Bench with Battery Cut Out and Port
 Bench with Chaise Lounge Flip Cushion
 CenterTube Storage & Hatch
- Center Tube Storage Bilge Pump
- Deluxe Fiberglass Console
- Deluxe UV Stabailized Marine Vinyl Material

- Docking LightsFence Riser for Easy Deck Wash DownFull Length Extruded Pontoon Keel
- Full Length Pontoon M Bracket
- Gate and Fence Finger Guards
- Helm Platform Raised Hooded Nose Cone with Spray Fins
- Instruments: Speedometer, Tachometer, Volt Guage, Fuel Guage, Trim Guage.
 Jenson Am/Fm Bluetooth USB input for mp3 player with
- 4 speakers
- Kidney Shaped Table
- LED Floor and LED Nav Lights
- Lifetime Warranted Marine Grade Plywood Deck

- Port & Starboard Stern Stainless Steel Tie Downs
- Port Bow Bench with Radius Bench and Chaise Lounge Flip
- Privacy Sundeck Cushion and Privacy Curtain
- Rear Entry with 6 Step Aft Boarding Ladder
 Recliner Helm Seat with Arms
 Screened Aluminum Side wall material

- Sea Star Hydraulic Steering
- · Silver Colored Aluminum Cast Corners
- Ski Tow Bar
- Stainless Steel Bow EyeStainless Steel Bow Lift-Up CleatsStainless Steel Cup Holders
- Stainless Steel Fasteners
- Stainless Steel Steering Wheel
- Starboard Bow Bench with Radius Bench and Chaise
- Lounge Flip Cushion
- Twin Under Deck Wave Tunnels
 12 Volt Power Plugs
 Textured Vinyl Flooring

OPTIONAL

- Additional Table BaseBarbecue Grill
- Bimini Conversation Area LED LightBimini Trailering Arm Kit
- Camping Enclosure
- Hummingbird GPS/Fish Finder
 Log Protective Side Keels
 Mini Tri-toon
 Mooring Cover

- Seat Covers
- Slide-top Rolling Cooler


- Tackle Tray with 2 Compartments
 Tackle Tray with 3 Compartments
 Tilt Out Trash Container
- Two Recliners with Arms*

Grumman Heritage H2485TCFP 24'TRI-TOON, CRUISE, FISH & PRIVACY ROOM

- 24' Tube Length 8.5' Deck Width
- 25" Diameter Center Tube

Max. Carrying Capacity: 3,145 lbs. Pontoon Boat Weight: 2,835 lbs. approx. 23" Diameter Port & Starboard Pontoons Max. Allowable HP: 200 .090" Pontoon Tube Thickness

Max. People Capacity: 2,286 lbs. or 16 people



STANDARD FEATURES

- .190" Aluminum Motor Pod & Transom
- 2 Bow Port Recliner Chairs with Arms
 9 Ft Dlx Recacril BiminiTop with 1.25" Ribbed Clear Anodized Aluminum frame
- 12 Volt Power Plug22 Gallon Fuel tank in motorwell25" Pontoon Tubes
- · Aft Aerated Livewell
- Aft Bench with Battery Cut Out and Port Bench with Arm
- Fishing Area

- Testing Area
 Center Tube Storage and Hatch
 Center Tube Storge Bilge Pump
 Deluxe Fibergalss Console
 Deluxe UV stabailized Marine Vinyl Material
- Docking Lights
- · Fence Riser for easy Deck Wash down
- Full Length Pontoon M Bracket
- Gate and Fence Finger Guards
 Hooded Nose Cone with Spray Fins Custom Molded Windscreen
- Helm Platform Raised
- · Instruments: Speedometer, Tachometer, Volt Guage, Fuel Guage, Trim Guage.

- Jenson Am/Fm Bluetooth USB input for mp3 player with
- Kidney Shaped Table
- LED Floor Lights
- LED Nav Lights
- Lifetime Warranted Marine Grade Plywood Deck
 Port & Starboard Stern Stainless Steel Tie Downs
 Privacy Sundeck Cushion, Room and Curtain
 Rear Entry with 6 Step Boarding Ladder

- Recliner Helm Seat with Arms
- · Screened Aluminum Side wall material
- Steelled Administration
 Sea Star Hydraulic Steering
 Silver Colored Aluminum Casted Corners
 Stainless Steel Bow Eye
 Stainless Steel Bow Lift Up Cleats

- Stainless Steel Cup Holders
- Stainless Steel Fasteners
- · Stainless Steel Steering Wheel
- Starboard Bow Bench & Chaise Lounge Flip Cushion
 Twin Under Deck Wave Tunnels
 Two Pedestal Fishing Chairs Aft
- Two Recliners with Arms
- Textured Vinyl Flooring

- Barbecue GrillBimini Conversation Area LED LightBimini Trailering Arm Kit
- Camping Enclosure
- Hummingbird Fish Finder
- Hummingbird GPS/Fish Finder

- Mini Tri-toon
 Mooring Cover
 Seat Covers
 Slide-top Rolling Cooler
- Ski Tow Bar Tackle Tray with 2 Compartments

- Tackle Tray with 3 CompartmentsTilt Out Trash ContainerUnder Deck Skin "Wave Tamer"



The Journey

Our Journey models combine exceptional construction with comfort at an affordable price. The Journey is available in six different floor plans including custom designs built for fishing and cruising. Your Grumman Journey allows you to experience a new level of relaxation as you entertain and truly enjoy your time on the water.





















- 1 Aerated Livewell Fish Models Only
- 2 Pedestal Swivel Fishing Chairs Fish Models Only
- 3 Navigation Light
- 4 Stereo System



- 5 Console with Helm Seat
- 6 Round Table
- 7 Large Motorwell



With Upgraded Console



Journey Graphics Packages





Custom Designs


Want a custom look to your pontoon? We can take your photograph, business name or art work and print it on your pontoon fences. Durable, outdoor print on an ultra tough poly surface gives you the custom design look that makes your pontoon unique. No more dents in your pontoon fences. Guaranteed not to crack, dent or break under warranty period. Want a fresh look to your fences? We can change the color, design, graphic without spending a fortune.








Journey Pontoons





Grumman Journey J1460F

14' Tube Length 6' Deck Width 19" Tube Diameter Max. Carrying Capacity: 920 lbs. Pontoon Boat Weight: 1,100 lbs. approx. Max. Allowable HP: 25

.080" Pontoon Tube Thickness 5052 Marine Grade Aluminum Alloy Max. People Capacity: 595 lbs. or 4 people

STANDARD FEATURES



- 9.5 Gallon Aerated Livewell
- · Deluxe UV stabilized Marine Vinyl Material
- Durable Aluminum Colored Casted Corners
- Fence Riser for Easy Deck Wash Down
- Fiberglass Console Shroud with Painted Aluminum Base
 Full Length Extruded Pontoon Keel
 Full Length Pontoon M Bracket
 Gate and Fence Finger Guards

- Heavy Duty Anodized Rub Rail
- Helm Fishing Chair
- Hooded Nose Cone with Spray Fins

- Lifetime Warranted Marine Grade Plywood Deck
 Lockable Rod Storage Box with Cushioned Lid
- Nav Lights
- Plastic Cup Holders
- Port & Starboard Bow Corner Shelves with Drink and Pole Holders
- Remote Control Mounting Pad for Side Mounted Engine Controls

Screened PVC Side wall materialStainless Steel Bow Eye

- Stainless Steel Fasteners
- Stern Portable Gas Tank Stow Area
- Stern Port Fishing Chair with Battery Storage
- Textured Vinyl Flooring
- Two Bow Pedestal Fishing Chairs

OPTIONAL

- Barbecue Grill
 Bimini Top with Round Tube Frame with
 Odyssey Ill Taupe Polyester Canvas
 Camping Enclosure
- Hummingbird Fish Finder
- Hummingbird GPS/Fish Finder
 Log Protective Side Keels
 Mooring Cover
 Stainless Steel Cup Holders
 Windscreen

Grumman Journey J1680LC

16' LIMITED CRUISE

16' Tube Length 8' Deck Width 23" Tube Diameter Max. Carrying Capacity: 1,464 lbs. Pontoon Boat Weight: 1,460 lbs. approx. Max. Allowable HP: 40

.080" Pontoon Tube Thickness 5052 Marine Grade Aluminum Alloy Max. People Capacity: 1,070 lbs. or 6 people

STANDARD FFATURES



- 6 Step Aft Boarding Ladder
 8 Ft Recacril Bimini Top with 1.25" Ribbed Anodized Aluminum Frame
 • 12 Volt Power Plug
- · Barrel Helm Seat
- · Cup Holder
- · Deluxe UV stabilized Marine Vinyl Material
- Durable Aluminum Colored Casted Corners
 Fence Riser for Easy Deck Wash Down
 Full Length Extruded Pontoon Keel

- Full Length Pontoon M Bracket
- Gate and Fence Finger Guards
- Heavy Duty Anodized Aluminum Side Trim
- Hooded Nose Cone with Spray Fins
- Lifetime Warranted Marine Grade Plywood Deck
 Limited graphic package
 Molded Console with Side Door

- Nav Lights
- Nylon Bow Cleats
- Port & Starboard 30" Bow Benches with armrests
- · Screened PVC Side wall material

Stainless Steel Bow Eye


- Stainless Steel Fasteners
 Stainless Steel Fort & Starboard SternTie Downs
 Stern 40" Bench with Chaise Lounge
- · Textured Vinyl Floor
- Three Gates One Rear Entry

- Additional Installed Table Base

- Barbecue Grill
 Bimini Trailering Arm Kit
 Bimini Conversation Area LED Light
 Bluetooth Radio upgrade
 Camping Enclosure

- Helm Seat with Armrest
 Hummingbird Fish Finder
 Hummingbird GPS/Fish Finder
 Jensen CD-MP3 Player w/2 speakers
- LED Nav Lights
- Log Protective Side Keels
- Mooring Cover
- Round Table, Leg and installed Base
 Slide-top Rolling Cooler
 Stainless Steel Cup Holders, ea
 Stainless Steel Lift-Up Cleats, Pr

- Under Deck Skin "Wave Tamer"



Grumman Journey J1885F

18' Tube Length 8' 6" Deck Width 25" Tube Diameter Max. Carrying Capacity: 1,979 lbs. Pontoon Boat Weight: 1,561 lbs. approx. Max. Allowable HP: 70

.090" Pontoon Tube Thickness. 5052 Marine Grade Aluminum Alloy Max. People Capacity: 1,419 lbs. or 10 people





- 8 Ft. Recacril Bimini Top with 1.25" Ribbed Anodized
- 12 Volt Power Plug
- 22 Gallon Fuel tank in motorwell
- Aft Bench with battery Cut Out & 40" Port Bench
 Built in Motor Well 21 gallon Fuel Tank
 Chrome Bow Cleats

- Classic Composite Steering WheelCustom Molded Windscreen
- Deluxe UV Stabilized Marine Vinyl Furniture
- Durable Aluminum Colored Corner Castings
 Fence Riser for Easy Deck Wash down
 Four Gates: 1 Rear Entry
 Full Length Extruded Pontoon Keel
 Full Length Pontoon M-Brackets

- Gate and Fence Finger Guards
- Heavy Duty Anodized Aluminum Side Trim
- Helm Seat with Arm Rests
- Hooded Nose Cone with Spray Fins
- Instruments: Speedometer, Tachometer, Volt Gauge, Fuel Gauge, Trim Gauge.
- Jensen CD-MP3 Player with 2 Speakers

- Life-time Marine Grade Plywood DeckMolded Console with Side Door
- Navigation Lights
- Round Table
- · Screened Closed-cell Marine PVC Side Walls with UV Protectant; Color & Graphics Choice

- Stainless Steel Bow Eye
 Stainless Steel Cup Holders
 Stainless Steel Fasteners
 Stainless Steel Port and Starboard SternTie Downs
- Stern Aerated 9.5 Gallon Livewell with Cup Holders
- Textured Vinyl Floor
- Three Corner Shelves with Drink & Rod Holders
 Two Bow Pedestal Swivel Fishing Chairs
- Two Stern Pedestal Swivel Fishing Chairs

OPTIONAL

- Barbecue GrillBimini Conversation Area LED LightBimini Trailering Arm KitBluetooth Radio Upgrade

- Carriping Enclosure
 Hummingbird Fish Finder
 Hummingbird GPS/Fish Finder
 LED Navigation Lights
 Log Protective Side Keels
 Mooring Cover
 Rolling Cooler with Sliding Top

- Slide-top Rolling Cooler

- Stainless Steel Lift-Up Cleats
 Tackle Tray with 2 Compartments
 Tackle Tray with 3 Compartments
 Under Deck Skin "Wave Tamer"

Grumman Journey J1885C

18' Tube Length 8' 6" Deck Width 25" Tube Diameter Max. Carrying Capacity: 1,979 lbs. Pontoon Boat Weight: 1,561 lbs. approx. Max. Allowable HP: 70

.090" Pontoon Tube Thickness 5052 Marine Grade Aluminum Allov Max. People Capacity: 1,419 lbs. or 10 people

18' CRUISE

STANDARD FEATURES

- .190" Aluminum Motor Pod
- 6 Step Aft Boarding Ladder8 Ft. Recacril Bimini Top with 1.25" Ribbed Anodized Aluminum Frame
- 12 Volt Power Plug
- 22 Gallon Fuel tank in motorwell
- Aft Bench with battery Cut Out with 40" Port Bench

- Built in Motor Well 21 gallon Fuel Tank
 Classic Composite Steering Wheel
 Custom Molded Windscreen
 Deluxe UV Stabilized Marine Vinyl Furniture
- Durable Aluminum Colored Corner Castings
- Fence Riser for Easy Deck Wash down
- Full Length Extruded Pontoon Keel

- Full Length Pontoon M-Brackets
 Gate and Fence Finger Guards
 Heavy Duty Anodized Aluminum Side Trim
- · Helm Seat with Arm Rests
- Hooded Nose Cone with Spray Fins
- Instruments: Speedometer, Tachometer, Volt Gauge, Fuel Gauge, Trim Gauge.

 Jensen CD-MP3 Player with 2 Speakers
 Life-time Marine Grade Plywood Deck
 Molded Console with Side Door

Navigation Lights

- Port & Starboard Radiused Bow Benches with additional 40" Starboard & 30" Port Benches
- Screened Closed-cell Marine PVC Side Walls with UV Protectant; Color & Graphics Choice


- Stainless Steel Bow Eye
 Stainless Steel Cup Holders
 Stainless Steel Fasteners
 Stainless Steel Port and Starboard Stern Tie Downs
- Textured Vinyl Floor
- Three Gates: 1 Rear Entry

- 4 Speaker Upgrade
 Additional Table Base, Installed
 Barbecue Grill
 Bimini Conversation Area LED Light
 Bimini Trailering Arm Kit
- Bluetooth Radio Upgrade

- Camping Enclosure
 Cruise Docking Lights
 Hummingbird Fish Finder
 Hummingbird GPS/Fish Finder
 LED Navigation Lights
 Log Protective Side Keels

- Mooring Cover
- Side-Mount UtilityTray

- Slide-top Rolling Cooler
 Stainless Steel Lift-Up Cleats, Pr
 Under Deck Skin "Wave Tamer"



Grumman Journey J1885LC

18' LIMITED CRUISE

18' Tube Length 8' 6" Deck Width 25" Tube Diameter Max. Carrying Capacity: 1,979 lbs. Pontoon Boat Weight: 1,561 lbs. approx. Max. Allowable HP: 70

.090" Pontoon Tube Thickness. 5052 Marine Grade Aluminum Alloy Max. People Capacity: 1,419 lbs. or 10 people





- .190" Aluminum Motor Pod
 6 Step Aft Boarding Ladder
 8 Ft. Recacril Bimini Top with 1.25 in. Ribbed Anodized Aluminum Frame
- 12 Volt Power Plug
- 22 Gallon Fuel tank in motorwell
- Barrel Helm Seat
 Built in Motor Well 21 gallon Fuel Tank
 Chrome Bow Cleats
 Classic Composite Steering Wheel
 Custom Molded Windscreen

- Deluxe UV Stabilized Marine Vinyl Furniture
- Durable Aluminum Colored Corner Castings
 Fence Riser for Easy Deck Wash down
 Full Length Extruded Pontoon Keel
 Full Length Pontoon M-Brackets

- Gate and Fence Finger Guards
- Heavy Duty Anodized Aluminum Side Trim
- Hooded Nose Cone with Spray Fins
- Instruments: Speedometer, Tachometer, Volt Gauge, Fuel Gauge, Trim Gauge.
 Life-time Marine Grade Plywood Deck
- Molded Console with Side Door
- Navigation Lights

- Port & Starboard Radiused Bow Benches with additional
- Rear 40" Bench with Chaise Lounge
- Screened Closed-cell Marine PVC Side Walls with UV Protectant & Limited Graphic Package

- Stainless Steel Bow Eye
 Stainless Steel Cup Holders
 Stainless Steel Fasteners
 Stainless Steel Port and Starboard SternTie Downs
- Stern Battery Box
- · Textured Vinyl Floor
- · Three Gates: 1 Rear Entry

OPTIONAL

- Additional Table BaseBarbecue Grill
- Bimini Conversation Area LED LightBimini Trailering Arm Kit
- Bluetooth Radio upgrade
- Camping Enclosure

- Cruise Docking Lights
 Helm Seat with Armrest
 Hummingbird Fish Finder
 Hummingbird GPS/Fish Finder
 Jensen CD-MP3 Player with speakers
- LED Navigation Lights


- Mooring Cover
 RoundTable and Installed Base
 Seat Covers
 Slide-top Rolling Cooler

- Stainless Steel Lift-Up Cleats
- Tackle Tray with 2 Compartments
- Tackle Tray with 3 Compartments
 Under Deck Skin "Wave Tamer"
 Windscreen

Grumman Journey J2085CP 20' CRUISE & PRIVACY ROOM

20' Tube Length 8' 6" Deck Width 25" Tube Diameter Max. Carrying Capacity: 2,455 lbs. Pontoon Boat Weight: 1,890 lbs. approx. Max. Allowable HP: 100

.090" Pontoon Tube Thickness 5052 Marine Grade Aluminum Alloy Max. People Capacity: 1,777 lbs. or 12 people



STANDARD FEATURES

- .190" Aluminum Motor Pod
- 6 Step Aft Boarding Ladder8 Ft. Recacril Bimini Top with 1.25 in. Ribbed Anodized Aluminum Frame
- 12 Volt Power Plug22 Gallon Fuel tank in motorwell
- Aft Bench with battery Cut Out & 40" Port Bench
- Built in Motor Well 21 gallon Fuel Tank
- Chrome Bow Cleats
 Classic Composite Steering Wheel
 Custom Molded Windscreen
- Deluxe UV Stabilized Marine Vinyl Furniture
- Durable Aluminum Colored Corner Castings
- Fence Riser for Easy Deck Wash down

- Full Length Extruded Pontoon Keel
 Full Length Pontoon M-Brackets
 Gate and Fence Finger Guards
 Heavy Duty Anodized Aluminum Side Trim
- · Helm Seat with Arm Rests
- Hooded Nose Cone with Spray Fins
- Instruments: Speedometer, Tachometer, Volt Gauge, Fuel Gauge, Trim Gauge.

 • Jensen CD-MP3 Player with 2 Speakers

 • Life-time Marine Grade Plywood Deck

- · Molded Console with Side Door
- Navigation LightsPort Radiused Bow Bench with additional 30" Bow Bench
- Screened Closed-cell Marine PVC Side Walls with UV Protectant; Color & Graphics Choice
- Stainless Steel Bow Eye
- Stainless Steel Cup Holders
- Stainless Steel Fasteners
 Stainless Steel Port and Starboard Stern Tie Downs
- Starboard Radiused Bench with additional 30" Bow Bench & Chaise Lounge
- Textured Vinyl Floor
- Three Gates: 1 Rear Entry
- Two-Piece Aft Sundeck with Privacy Room & Curtain

- 4 Speaker Upgrade

- Additional Table Base
 Barbecue Grill
 Bimini Converstaion Area LED Light
 Bimini Trailering Arm Kit
 Camping Enclosure

- Cruise Docking Lights
- Hummingbird Fish Finder
 Hummingbird GPS/Fish Finder
 LED Navigation Lights
 Log Protective Side Keels
 Mooring Cover

- Seat Covers
- SkiTow Bar


- Slide-top Rolling Cooler
 Stainless Steel Lift-Up Cleats
 Under Deck Skin "Wave Tamer"

Grumman Journey J2085C

20' CRUISE

20' Tube Length 8' 6" Deck Width 25" Tube Diameter Max. Carrying Capacity: 2,455 lbs. Pontoon Boat Weight: 1,890 lbs. approx. Max. Allowable HP: 100

.090" Pontoon Tube Thickness. 5052 Marine Grade Aluminum Alloy Max. People Capacity: 1,777 lbs. or 12 people



STANDARD FEATURES

- .190" Aluminum Motor Pod
 6 Step Aft Boarding Ladder
 8 Ft. Recacril Bimini Top with 1.25 in. Ribbed Anodized
- 12 Volt Power Plug
- 22 Gallon Fuel tank in motorwell
- Aft Bench with battery Cut Out with 30" Port Bench & Chaise Lounge

 Built in Motor Well 21 gallon Fuel Tank

 Chrome Bow Cleats

- Classic Composite Steering Wheel
- Custom Molded Windscreen
- Deluxe UV Stabilized Marine Vinyl Furniture
 Durable Aluminum Colored Corner Castings
 Fence Riser for Easy Deck Wash down
 Full Length Extruded Pontoon Keel

- Full Length Pontoon M-Brackets
- Gate and Fence Finger Guards
- Heavy Duty Anodized Aluminum Side Trim
- Helm Seat with Arm Rests
 Hooded Nose Cone with Spray Fins
- Instruments: Speedometer, Tachometer, Volt Gauge, Fuel Gauge, Trim Gauge.
- Jensen CD-MP3 Player with 2 Speakers

- Life-time Marine Grade Plywood DeckMolded Console with Side Door
- Navigation Lights
- Port Radiused Bow Bench with additional 40" Bench
- Screened Closed-cell Marine PVC Side Walls with UV Protectant; Color & Graphics Choice

 • Stainless Steel Bow Eye

 • Stainless Steel Cup Holders

- Stainless Steel Fasteners
- Stainless Steel Port and Starboard Stern Tie Downs
- Starboard Radiused Bow Bench with additional 40" Bench & Chaise LoungeTextured Vinyl Floor
- · Three Gates: 1 Rear Entry

OPTIONAL

- 4 Speaker UpgradeAdditional Table Base
- Bimini Conversation Area LED Light
 Bimini Trailering Arm Kit
- · Bluetooth Radio Upgrade


- Camping Enclosure
 Cruise Docking Lights
 Hummingbird Fish Finder
 Hummingbird GPS/Fish Finder
 LED Navigation Lights
- Log Protective Side Keels
- Mooring Cover

- Seat Covers
 Ski Tow Bar
 Slide-top Rolling Cooler
 Stainless Steel Lift-Up Cleats

Grumman Journey J2085F 20' FISH

20' Tube Length 8' 6" Deck Width 25" Tube Diameter Max. Carrying Capacity: 2,455 lbs. Pontoon Boat Weight: 1,890 lbs. approx. Max. Allowable HP: 100

.090" Pontoon Tube Thickness 5052 Marine Grade Aluminum Alloy Max. People Capacity: 1,777 lbs. or 12 people



STANDARD FEATURES

- .190" Aluminum Motor Pod

- 2 Bow Pedestal Swivel Fishing Chairs
 2 Stern Pedestal Swivel Fishing Chairs
 3 Corner Shelves with Drink & Rod Holders
- · 6 Step Aft Boarding Ladder
- 8 Ft. Recacril Bimini Top with 1.25 in. Ribbed Anodized
- 12 Volt Power Plug
- 22 Gallon Fuel tank in motorwell
 Aft Bench with battery Cut Out & 40" Port Bench
 Built in Motor Well 21 gallon Fuel Tank
 Chrome Bow Cleats

- · Classic Composite Steering Wheel
- Custom Molded Windscreen
- Deluxe UV Stabilized Marine Vinyl Furniture
- Durable Aluminum Colored Corner Castings
 Fence Riser for Easy Deck Wash down
 Four Gates: 1 Rear Entry
 Full Length Extruded Pontoon Keel

- Full Length Pontoon M-Brackets
- Gate and Fence Finger Guards
- Heavy Duty Anodized Aluminum Side Trim
- Helm Seat with Arm RestsHooded Nose Cone with Spray Fins

- Instruments: Speedometer, Tachometer, Volt Gauge, Fuel
- Gauge, Trim Gauge.

 Jensen CD-MP3 Player with 2 Speakers

 Life-time Marine Grade Plywood Deck
- Molded Console with Side Door
- Navigation Lights
- Round Table
- Screened Closed-cell Marine PVC Side Walls with UV Protectant: Color & Graphics Choice

 Stainless Steel Bow Eye
 Stainless Steel Cup Holders

- Stainless Steel Fasteners
- Stainless Steel Port and Starboard Stern Tie Downs
- Stern Aerated 9.5 Gallon Livewell with Cup Holders
- Textured Vinyl Floor
- Two-Piece Aft Sundeck with Privacy Room & Curtain

- 4 Speaker Upgrade

- Additional Table Base
 Barbecue Grill
 Bimini Conversation Area LED Light
 Bimini Trailering Arm Kit
 Bluetooth Radio Upgrade

- Cruise Docking Lights
- Hummingbird Fish Finder
 Hummingbird GPS/Fish Finder
 LED Navigation Lights
 Log Protective Side Keels

- Mooring Cover


- Modifie Cover
 Seat Covers
 Slide-top Rolling Cooler
 Stainless Steel Lift-Up Cleats
 Tackle Tray with 2 Compartments
 Tackle Tray with 3 Compartments
 Under Deck Skin "Wave Tamer"

Grumman Journey J2085CF

20' CRUISE & FISH

20' Tube Length 8' 6" Deck Width 25" Tube Diameter Max. Carrying Capacity: 2,455 lbs. Pontoon Boat Weight: 1,890 lbs. approx. Max. Allowable HP: 100

.090" Pontoon Tube Thickness. 5052 Marine Grade Aluminum Alloy Max. People Capacity: 1,777 lbs. or 12 people



STANDARD FEATURES

- .190" Aluminum Motor Pod2 Stern Pedestal Swivel Fishing Chairs
- · 6 Step Aft Boarding Ladder
- 8 Ft. Recacril Bimini Top with 1.25 in. Ribbed Anodized
- 12 Volt Power Plug
- 22 Gallon Fuel tank in motorwell
 Aft Bench with battery Cut Out & 40" Port Bench
 Built in Motor Well 21 gallon Fuel Tank
- · Chrome Bow Cleats
- Classic Composite Steering Wheel
- Custom Molded Windscreen
- Deluxe UV Stabilized Marine Vinyl Furniture
 Durable Aluminum Colored Corner Castings
 Fence Riser for Easy Deck Wash down
 Full Length Extruded Pontoon Keel

- Full Length Pontoon M-Brackets
- Gate and Fence Finger Guards
- Heavy Duty Anodized Aluminum Side Trim
- Helm Seat with Arm Rests
 Hooded Nose Cone with Spray Fins
- Instruments: Speedometer, Tachometer, Volt Gauge, Fuel Gauge, Trim Gauge.
- Jensen CD-MP3 Player with 2 Speakers

- Life-time Marine Grade Plywood DeckMolded Console with Side Door
- Navigation Lights
- Port Radiused Bow Bench with additional 30" Bench
- Screened Closed-cell Marine PVC Side Walls with UV Protectant; Color & Graphics Choice

 • Stainless Steel Bow Eye

 • Stainless Steel Cup Holders

- Stainless Steel Fasteners
- Stainless Steel Port and Starboard Stern Tie Downs
- Starboard Radiused Bow Bench with additional 30" Bench & Chaise Lounge

 Stern 9.5 Gallon Aerated Livewell with cup holders

 Textured Vinyl Floor

 Three Gates: 1 Rear Entry

OPTIONAL

- 4 Speaker UpgradeAdditional Table Base
- Barbecue Grill
- Bimini Conversation Area LED Light
 Bimini Trailering Arm Kit
- · Bluetooth Radio Upgrade

- Camping Enclosure
 Cruise Docking Lights
 Hummingbird Fish Finder
 Hummingbird GPS/Fish Finder
 Jensen CD-MP3 with 4 Speakers


- · LED Navigation Lights
- Log Protective Side Keels
 Mooring Cover
 Seat Covers
 SkiTow Bar
 Slide-top Rolling Cooler

- Stainless Steel Lift-Up Cleats
- Tackle Tray with 2 Compartments
- Tackle Tray with 3 Compartments
 Under Deck Skin "Wave Tamer"
 Utility Tray

Grumman Journey J2285LC 22' LIMITED CRUISE

22'Tube Length 8' 6" Deck Width 25" Tube Diameter Max. Carrying Capacity: 2800 lbs. Pontoon Boat Weight: 2045 lbs. approx. Max. Allowable HP: 115

.090" Pontoon Tube Thickness 5052 Marine Grade Aluminum Alloy Max. People Capacity: 1943 lbs. or 14 people



STANDARD FEATURES

- .190" Aluminum Motor Pod
- 6 Step Aft Boarding Ladder
 9 Ft. Recacril Bimini Top with 1.25 in. Ribbed Anodized Aluminum Frame
- 12 Volt Power Plug22 Gallon Fuel tank in motorwell
- Aft Bench with battery Cut Out + 40" & 30" Port Benches
- Barrell Helm Seat

- Built in Motor Well 21 gallon Fuel Tank
 Chrome Bow Cleats
 Classic Composite Steering Wheel
 Deluxe UV Stabilized Marine Vinyl Furniture
- Durable Aluminum Colored Corner Castings
- Fence Riser for Easy Deck Wash down
 Four Gates: 1 Rear Entry
 Full Length Extruded Pontoon Keel
 Full Length Pontoon M-Brackets
 Gate and Fence Finger Guards

- Heavy Duty Anodized Aluminum Side Trim
- Hooded Nose Cone with Spray Fins
- Instruments: Speedometer, Tachometer, Volt Gauge, Fuel Gauge, Trim Gauge. Life-time Marine Grade Plywood Deck
- · Log Protective Side Keels

- · Molded Console with Side Door
- Navigation Lights
 Port & Starboard Radiused Bow Benches with additional 40" Benches
- Screened Closed-cell Marine PVC Side Walls with UV Protectant & Limited Graphic Package
- Stainless Steel Bow Eye

- Stainless Steel Fasteners
 Stainless Steel Port and Starboard SternTie Downs
 Textured Vinyl Floor

- Additional Table Base
- Barbecue Grill
 Bimini Conversation Area LED Light
 Bimini Trailering Arm Kit
 Bluetooth Radio Upgrade
 Camping Enclosure

- Cruise Docking Lights

- Hummingbird Fish Finder
 Hummingbird GPS/Fish Finder
 Jensen CD-MP3 with 2 Speakers
 LED Navigation Lights
 Log Protective Side Keels

- MiniTri-toon
- Mooring Cover


- Seat Covers
 Ski Tow Bar
 Slide-top Rolling Cooler
 Stainless Steel Lift-Up Cleats
- Round Table Assembly
- Under Deck Skin "Wave Tamer"
- UtilityTrayWindscreen

Grumman Journey J2285CF

22' CRUISE, FISH

22' Tube Length 8' 6" Deck Width 25" Tube Diameter Max. Carrying Capacity: 2,800 lbs. Pontoon Boat Weight: 2,045 lbs. approx. Max. Allowable HP: 115

.090" Pontoon Tube Thickness. 5052 Marine Grade Aluminum Alloy Max. People Capacity: 1,943 lbs. or 14 people



STANDARD FEATURES

- .190" Aluminum Motor Pod2 Stern Pedestal Swivel Fishing Chairs
- · 6 Step Aft Boarding Ladder
- 9 Ft. Recacril Bimini Top with 1.25 in. Ribbed Anodized
- 12 Volt Power Plug
- 22 Gallon Fuel tank in motorwell
 Aft Bench with battery Cut Out & 40" Port Bench
 Built in Motor Well 21 gallon Fuel Tank
- · Chrome Bow Cleats
- Classic Composite Steering Wheel
- Custom Molded Windscreen
- Deluxe UV Stabilized Marine Vinyl Furniture
 Durable Aluminum Colored Corner Castings
 Fence Riser for Easy Deck Wash down
 Fence Riser for Easy Deck Wash down
 Full Length Extruded Pontoon Keel

- Full Length Pontoon M-Brackets
- Gate and Fence Finger Guards
- Heavy Duty Anodized Aluminum Side Trim
- Helm Seat with Arm RestsHooded Nose Cone with Spray Fins
- Instruments: Speedometer, Tachometer, Volt Gauge, Fuel Gauge, Trim Gauge.

- Jensen CD-MP3 Player with 2 SpeakersLife-time Marine Grade Plywood Deck
- · Molded Console with Side Door
- Navigation Lights
- Port Radiused Bow Bench with additional 30" Bow Bench
- Screened Closed-cell Marine PVC Side Walls with UV Protectant; Color & Graphics Choice
 Stainless Steel Bow Eye
 Stainless Steel Cup Holders

- Stainless Steel Fasteners
- Stainless Steel Port and Starboard Stern Tie Downs
- Starboard Radiused Bow Bench with additional 30" Bow Bench & Chaise Lounge

 • Stern Aerated 9.5 Gallon Livewell with cup holders

 • Textured Vinyl Floor

- Three Gates: 1 Rear Entry
- Two-Piece Sundeck with Privacy Room & Curtain

OPTIONAL

- 4 Speaker UpgradeAdditional Table Base
- Barbecue Grill
- Bimini Conversation LED LightBimini Trailering Arm Kit
- · Bluetooth Radio Upgrade

- Camping Enclosure
 Cruise Docking Lights
 Heritage Console Upgrade
 Hummingbird Fish Finder
 Hummingbird GPS/Fish Finder
- Jensen CD-MP3 with 4 Speakers
- LED Navigation Lights
 Log Protective Side Keels
 MiniTri-toon
 Mooring Cover
 Seat Covers


- Ski Tow Bar

- Ski Tow Bal
 Slide-top Rolling Cooler
 Stainless Steel Lift-Up Cleats
 Tackle Tray with 2 Compartments
 Tackle Tray with 3 Compartments
 Under Deck Skin "Wave Tamer"

Grumman Journey J2285CSP 22' CRUISE, SWIM PLATFORM & PRIVACY ROOM

22' Tube Length 8' 6" Deck Width 25" Tube Diameter Max. Carrying Capacity: 2,800 lbs. Pontoon Boat Weight: 2,045 lbs. approx. Max. Allowable HP: 115

.090" Pontoon Tube Thickness 5052 Marine Grade Aluminum Alloy Max. People Capacity: 1,943 lbs. or 14 people



STANDARD FEATURES

- .190" Aluminum Motor Pod
- 6 Step Aft Boarding Ladder9 Ft. Recacril Bimini Top with 1.25 in. Ribbed Anodized Aluminum Frame
- 12 Volt Power Plug22 Gallon Fuel tank in motorwell
- Aft Bench with battery Cut Out & 40" Port Bench
- Built in Motor Well 21 gallon Fuel Tank
- Chrome Bow Cleats
 Classic Composite Steering Wheel
 Custom Molded Windscreen
- Deluxe UV Stabilized Marine Vinyl Furniture
- Durable Aluminum Colored Corner Castings
- Fence Riser for Easy Deck Wash down
- Full Length Extruded Pontoon Keel
- Full Length Pontoon M-Brackets
 Gate and Fence Finger Guards
 Heavy Duty Anodized Aluminum Side Trim
- · Helm Seat with Arm Rests
- Hooded Nose Cone with Spray Fins
- Instruments: Speedometer, Tachometer, Volt Gauge, Fuel Gauge, Trim Gauge.

 • Jensen CD-MP3 Player with 2 Speakers

 • Life-time Marine Grade Plywood Deck

- · Molded Console with Side Door
- Navigation LightsPort Radiused Bow Bench with additional 30" Bench
- Screened Closed-cell Marine PVC Side Walls with UV Protectant; Color & Graphics Choice
- Stainless Steel Bow Eye
- Stainless Steel Cup Holders
- Stainless Steel Fasteners
 Stainless Steel Port and Starboard Stern Tie Downs
- Starboard Radiused Bow Bench with additional 30" Bench & Chaise Lounge
- Textured Vinyl Floor
- Three Gates: 1 Rear Entry
- Two-Piece Aft Sundeck with Privacy Room & Curtain

- 4 Speaker Upgrade

- Additional Table Base
 Barbecue Grill
 Bimini Conversation Area LED Light
 Bimini Trailering Arm Kit
 Bluetooth Radio Upgrade

- Cruise Docking Lights
- Heritage Console Upgrade
 Hummingbird Fish Finder
 Hummingbird GPS/Fish Finder
 LED Navigation Lights
 Log Protective Side Keels

- MiniTri-toon
- Mooring CoverPort Center Aerated LivewellSeat CoversSki Tow Bar


- Slide-top Rolling Cooler
- Tackle Tray with 2 Compartments
- Tackle Tray with 3 CompartmentsUnder Deck Skin "Wave Tamer"

Grumman Journey J2285F

22' Tube Length 8' 6" Deck Width 25" Tube Diameter

Max. Carrying Capacity: 2,800 lbs. Pontoon Boat Weight: 2,045 lbs. approx. Max. Allowable HP: 115

.090" Pontoon Tube Thickness. 5052 Marine Grade Aluminum Alloy Max. People Capacity: 1,943 lbs. or 14 people



STANDARD FEATURES

- .190" Aluminum Motor Pod2 Bow Pedestal Swivel Fishing Chairs2 Stern Pedestal Swivel Fishing Chairs
- 3 Corner Shelves with Drink & Rod Holders
- · 6 Step Aft Boarding Ladder
- 9 Ft. Recacril Bimini Top with 1.25 in. Ribbed Anodized Aluminum Frame
 12 Volt Power Plug
 22 Gallon Fuel tank in motorwell

- Aft Bench with battery Cut Out & 40" Port Bench
 Built in Motor Well 21 gallon Fuel Tank
- · Chrome Bow Cleats

- Classic Composite Steering Wheel
 Custom Molded Windscreen
 Deluxe UV Stabilized Marine Vinyl Furniture
 Durable Aluminum Colored Corner Castings
 Fence Riser for Easy Deck Wash down
- Four Gates: 1 Rear Entry
- Full Length Extruded Pontoon Keel
- Full Length Pontoon M-Brackets
- Gate and Fence Finger Guards
 Heavy Duty Anodized Aluminum Side Trim
 Helm Seat with Arm Rests
- Hooded Nose Cone with Spray Fins

- Instruments: Speedometer, Tachometer, Volt Gauge, Fuel Gauge, Trim Gauge.
 Jensen CD-MP3 Player with 2 Speakers
 Life-time Marine Grade Plywood Deck

- Molded Console with Side Door
- Navigation Lights
- Round Shaped Table
 Screened Closed-cell Marine PVC Side Walls with UV Protectant; Color & Graphics Choice
- Stainless Steel Bow Eye
 Stainless Steel Cup Holders
- Stainless Steel Fasteners
- Stern Aerated 9.5 Gallon Livewell with Cup Holders Stern Aerated Livewell with cup holders
- Textured Vinyl Floor
- Two-Piece Aft Sundeck with Privacy Room & Curtain

OPTIONAL

- 4 Speaker UpgradeAdditional Table Base
- Barbecue Grill
- Bimini Conversation Area LED Light
 Bimini Trailering Arm Kit
- · Bluetooth Radio Upgrade


- Camping Enclosure
 Cruise Docking Lights
 Heritage Console Upgrade
 Hummingbird Fish Finder
 Hummingbird GPS/Fish Finder
- LED Navigation Lights

- LED Ivavigation Lights
 Log Protective Side Keels
 Mini Tri-toon
 Mooring Cover
 Port Forward Aerated Livewell with Cup Holders
- Slide-top Rolling Cooler
- Stainless Steel Lift-Up Cleats
- Tackle Tray with 3 CompartmentsUnder Deck Skin "Wave Tamer"Utility Tray

Grumman Journey J2285CMT 22' CRUISE & MINI TRI-TOON

22' Tube Length 8' 6" Deck Width 25" Tube Diameter Max. Carrying Capacity: 2,800 lbs. Pontoon Boat Weight: 2,045 lbs. approx. Max. Allowable HP: 115

.090" Pontoon Tube Thickness 5052 Marine Grade Aluminum Alloy Max. People Capacity: 1,943 lbs. or 14 people



STANDARD FEATURES

- .190" Aluminum Motor Pod
- 6 Step Aft Boarding Ladder
 9 Ft. Recacril Bimini Top with 1.25 in. Ribbed Anodized Aluminum Frame
- 12 Volt Power Plug22 Gallon Fuel tank in motorwell
- Aft Bench with battery Cut Out with additional 40" Bench Alt Beriot With Battery Set
 & Chaise Lounge
 Built in Motor Well 21 gallon FuelTank
 Chrome Bow Cleats
 Classic Composite Steering Wheel
 Custom Molded Windscreen
 The Stabilized Marine Vinyl Furr

- Deluxe UV Stabilized Marine Vinyl Furniture
- Durable Aluminum Colored Corner Castings
- Fence Riser for Easy Deck Wash down
 Full Length Extruded Pontoon Keel
 Full Length Pontoon M-Brackets
 Gate and Fence Finger Guards

- Heavy Duty Anodized Aluminum Side Trim · Helm Seat with Arm Rests
- Hooded Nose Cone with Spray Fins
- Instruments: Speedometer, Tachometer, Volt Gauge, Fuel Gauge, Trim Gauge.

 • Jensen CD-MP3 Player with 2 Speakers

- · Life-time Marine Grade Plywood Deck

- Mini Tri-toon: 14 Ft. Center Tube
 Molded Console with Side Door
 Navigation Lights
 Port Radiused Bow Bench with additional 40" Bench & Chaise Lounge
- RoundTable
- Screened Closed-cell Marine PVC Side Walls with UV Protectant; Color & Graphics Choice

 Stainless Steel Bow Eye

 Stainless Steel Cup Holders

- Stainless Steel Fasteners
- Stainless Steel Port and Starboard Stern Tie Downs
- Starboard Radiused Bow Bench with additional 40" Bench & Chaise Lounge
- Textured Vinyl Floor
- · Three Gates: 1 Rear Entry

- 4 Speaker Upgrade

- Additional Table Base
 Barbecue Grill
 Bimini Conversation Area LED Light
 Bimini Trailering Arm Kit
 Bluetooth Radio Upgrade

- Cruise Docking Lights
- Heritage Console Upgrade
 Hummingbird Fish Finder
 Hummingbird GPS/Fish Finder
 LED Navigation Lights
 Log Protective Side Keels


- Ski Tow Bar
 Slide-top Rolling Cooler
 Stainless Steel Lift-Up Cleats
 Tackle Tray with 2 Compartments
- Tackle Tray with 3 Compartments
- · Tilt Out Trash Container

Grumman Journey J2485CFP

24' CRUISE, FISH & PRIVACY ROOM

24'Tube Length 8' 6" Deck Width 25" Tube Diameter Max. Carrying Capacity: 3,145 lbs. Pontoon Boat Weight: 2,210 lbs. approx. Max. Allowable HP: 140

.090" Pontoon Tube Thickness. 5052 Marine Grade Aluminum Alloy Max. People Capacity: 2,286 lbs. or 16 people



STANDARD FEATURES

- .190" Aluminum Motor Pod2 Stern Pedestal Swivel Fishing Chairs
- · 6 Step Aft Boarding Ladder
- 9 Ft. Recacril Bimini Top with 1.25 in. Ribbed Anodized
- 12 Volt Power Plug
- 22 Gallon Fuel tank in motorwell
 Aft Bench with battery Cut Out & 40" Port Bench
 Built in Motor Well 21 gallon Fuel Tank
- · Chrome Bow Cleats
- · Classic Composite Steering Wheel
- Custom Molded Windscreen
- Deluxe UV Stabilized Marine Vinyl Furniture
 Durable Aluminum Colored Corner Castings
 Fence Riser for Easy Deck Wash down
 Fence Riser for Easy Deck Wash down
 Full Length Extruded Pontoon Keel

- Full Length Pontoon M-Brackets
- Gate and Fence Finger Guards
- Heavy Duty Anodized Aluminum Side Trim
- Helm Seat with Arm RestsHooded Nose Cone with Spray Fins
- Instruments: Speedometer, Tachometer, Volt Gauge, Fuel Gauge, Trim Gauge.

- Jensen CD-MP3 Player with 2 SpeakersLife-time Marine Grade Plywood Deck
- · Molded Console with Side Door
- Navigation Lights
- Port Radiused Bow Bench with additional 30" Bow Bench
- Screened Closed-cell Marine PVC Side Walls with UV Protectant; Color & Graphics Choice
 Stainless Steel Bow Eye
 Stainless Steel Cup Holders

- Stainless Steel Fasteners
- Stainless Steel Port and Starboard Stern Tie Downs
- Starboard Radiused Bow Bench with additional 30" Bow Bench & Chaise Lounge

 • Stern Aerated 9.5 Gallon Livewell with cup holders

 • Textured Vinyl Floor

- Three Gates: 1 Rear Entry
- Two-Piece Sundeck with Privacy Room & Curtain

OPTIONAL

- 4 Speaker UpgradeAdditional Table Base
- Barbecue Grill
- Bimini Conversation LED LightBimini Trailering Arm Kit
- · Bluetooth Radio Upgrade

- Camping Enclosure
 Cruise Docking Lights
 Heritage Console Upgrade
 Hummingbird Fish Finder
 Hummingbird GPS/Fish Finder
- Jensen CD-MP3 with 4 Speakers
- LED Navigation Lights
 Log Protective Side Keels
 MiniTri-toon
 Mooring Cover
 Seat Covers


- Ski Tow Bar

- Slide-Bal
 Slide-Top Rolling Cooler
 Stainless Steel Lift-Up Cleats
 Tackle Tray with 2 Compartments
 Tackle Tray with 3 Compartments
 Under Deck Skin "Wave Tamer"

Grumman Journey J2485CSP 24' CRUISE, SWIM PLATFORM & PRIVACY ROOM

24' Tube Length 8' 6" Deck Width 25" Tube Diameter Max. Carrying Capacity: 3,145 lbs. Pontoon Boat Weight: 2,210 lbs. approx. Max. Allowable HP: 140

.090" Pontoon Tube Thickness 5052 Marine Grade Aluminum Alloy Max. People Capacity: 2,286 lbs. or 16 people



STANDARD FEATURES

- .190" Aluminum Motor Pod
- 6 Step Aft Boarding Ladder9 Ft. Recacril Bimini Top with 1.25 in. Ribbed Anodized Aluminum Frame
- 12 Volt Power Plug22 Gallon Fuel tank in motorwell
- Aft Bench with battery Cut Out with additional 40" Bench All Beriot With Battery Street
 & Chaise Lounge
 Built in Motor Well 21 gallon FuelTank
 Chrome Bow Cleats
 Classic Composite Steering Wheel
 Custom Molded Windscreen
 The Cabilized Marine Vinyl Furn

- · Deluxe UV Stabilized Marine Vinyl Furniture
- Durable Aluminum Colored Corner Castings
- Full Length Extruded Pontoon Keel
 Full Length Pontoon M-Brackets
 Gate and Fence Finger Guards

- Heavy Duty Anodized Aluminum Side Trim
- · Helm Seat with Arm Rests Hooded Nose Cone with Spray Fins
- Instruments: Speedometer, Tachometer, Volt Gauge, Fuel
- Gauge, Trim Gauge.Jensen CD-MP3 Player with 2 Speakers

- Life-time Marine Grade Plywood Deck

- Molded Console with Side Door
 Navigation Lights
 Port Radiused Bow Bench with additional 40" Bench & Chaise Lounge
- Screened Closed-cell Marine PVC Side Walls with UV Protectant; Color & Graphics Choice

 Stainless Steel Bow Eye

 Stainless Steel Cup Holders

 Stainless Steel Fasteners

 Stainless Steel Port and Starboard SternTie Downs

- · Starboard Radiused Bow Bench with qdditional 40" Bench & Chaise Lounge
- Textured Vinyl Floor
- Two-Piece Aft Sundeck with Privacy Room & Curtain

- 4 Speaker Upgrade

- Additional Table Base
 Barbecue Grill
 Bimini Conversation Area LED Light
 Bimini Trailering Arm Kit
 Bluetooth Radio Upgrade

- Cruise Docking Lights
- Heritage Console Upgrade
 Hummingbird Fish Finder
 Hummingbird GPS/Fish Finder
 LED Navigation Lights
 Log Productive Side Keels

- MiniTri-toon
- Mooring CoverPort Center Aerated LivewellSeat CoversSki Tow Bar


- Slide-top Rolling Cooler
- Tackle Tray with 2 Compartments
- Tilt Out Trash ContainerUnder Deck Skin "Wave Tamer"

Grumman Journey J2485C

24' CRUISE

24' Tube Length 8' 6" Deck Width 25" Tube Diameter Max. Carrying Capacity: 3,145 lbs. Pontoon Boat Weight: 2,210 lbs. approx. Max. Allowable HP: 140

.090" Pontoon Tube Thickness. 5052 Marine Grade Aluminum Alloy Max. People Capacity: 2,286 lbs. or 16 people



STANDARD FEATURES

- .190" Aluminum Motor Pod
 6 Step Aft Boarding Ladder
 9 Ft. Recacril Bimini Top with 1.25 in. Ribbed Anodized Aluminum Frame
- 12 Volt Power Plug
- 22 Gallon Fuel tank in motorwell
- Aft Bench with battery Cut Out with additional 40" Bench
 & Chaise Lounge
 Built in Motor Well 21 gallon Fuel Tank
 Chrome Bow Cleats

- Classic Composite Steering Wheel
- Custom Molded Windscreen
- Deluxe UV Stabilized Marine Vinyl Furniture
 Durable Aluminum Colored Corner Castings
 Fence Riser for Easy Deck Wash down
 Four Gates: 1 Rear Entry
 Full Length Extruded Pontoon Keel

- Full Length Pontoon M-Brackets
- Gate and Fence Finger Guards
- Heavy Duty Anodized Aluminum Side Trim
- Helm Seat with Arm RestsHooded Nose Cone with Spray Fins
- Instruments: Speedometer, Tachometer, Volt Gauge, Fuel Gauge, Trim Gauge.

- Jensen CD-MP3 Player with 2 SpeakersLife-time Marine Grade Plywood Deck
- Molded Console with Side Door
- Navigation Lights
- Port Radiused Bow Bench with additional 40" Bench &
- Round Table
 Screened Closed-cell Marine PVC Side Walls with UV
 Protectant; Color & Graphics Choice
- Stainless Steel Bow Eye
 Stainless Steel Cup Holders
- Stainless Steel Fasteners
- Stainless Steel Port and Starboard SternTie Downs
 Starboard Radiused Bow Bench with additional 40"
 Bench & Chaise Lounge
- Textured Vinyl Floor

OPTIONAL

- 4 Speaker UpgradeAdditional Table Base
- Barbecue Grill
- Bimini Conversation Area LED Light
 Bimini Trailering Arm Kit
- · Bluetooth Radio Upgrade

- Camping Enclosure
 Cruise Docking Lights
 Heritage Console Upgrade
 Hummingbird Fish Finder
 Hummingbird GPS/Fish Finder
- LED Navigation Lights
- Leb Navigation Lights
 Log Protective Side Keels
 Mini Tri-toon
 Mooring Cover
 Seat Covers
 Ski Tow Bar


- Slide-top Rolling Cooler
- Stainless Steel Lift-Up Cleats
- Tackle Tray with 3 Compartments
 Tilt Out Trash Container
 Under Deck Skin "Wave Tamer"

- Utility Tray

Grumman Journey J2485CRL 24' CRUISE & REAR LOUNGE

24' Tube Length 8' 6" Deck Width 25" Tube Diameter Max. Carrying Capacity: 3,145 lbs. Pontoon Boat Weight: 2,210 lbs. approx. Max. Allowable HP: 140

.090" Pontoon Tube Thickness 5052 Marine Grade Aluminum Alloy Max. People Capacity: 2,286 lbs. or 16 people



STANDARD FEATURES

- .190" Aluminum Motor Pod
- 9 Ft. Recacril Bimini Top with 1.25 in. Ribbed Anodized Aluminum Frame
 12 Volt Power Plug
 22 Gallon Fuel tank in motorwell

- Aft Lounge area: 1-30" Port Bench, 1-40" Port Bench, 1-Port Corner Bench, 1-40" Center Bench, 1-Star-board Corner Bench & 1-36" Starboard Bench
 Built in Motor Well 21 gallon Fuel Tank
 Chrome Bow Cleats
 Classic Composite Steering Wheel
 Custom Molded Windscreen

- Deluxe UV Stabilized Marine Vinyl Furniture
- Durable Aluminum Colored Corner Castings
- Full Length Extruded Pontoon Keel
 Full Length Pontoon M-Brackets
 Gate and Fence Finger Guards

- Heavy Duty Anodized Aluminum Side Trim
- · Helm Seat with Arm Rests Hooded Nose Cone with Spray Fins
- Instruments: Speedometer, Tachometer, Volt Gauge, Fuel Gauge, Trim Gauge.

 • Jensen CD-MP3 Player with 2 Speakers

- · Life-time Marine Grade Plywood Deck

- Molded Console with Side Door
 Navigation Lights
 Port Radiused Bow Bench with additional 40" Bench & Chaise Lounge Screened Closed-cell Marine PVC Side Walls with UV
- Protectant; Color & Graphics Choice

- Stainless Steel Bow Eye
 Stainless Steel Cup Holders
 Stainless Steel Fasteners
 Stainless Steel Port and Starboard SternTie Downs
- · Starboard Radiused Bow Bench with gdditional 40" Bench & Chaise Lounge
- Textured Vinyl Floor
- Three Gates

- 4 Speaker Upgrade

- Additional Table Base
 Barbecue Grill
 Bimini Conversation Area LED Light
 Bimini Trailering Arm Kit
 Bluetooth Radio Upgrade

- Carliphig Enclosure
 Cruise Docking Lights
 Hummingbird Fish Finder
 Hummingbird GPS/Fish Finder
 Heritage Console Upgrade
 LED Navigation Lights
 Log Protective Side Keels


- Mooring Cover
 Round Table Assembly
 Seat Covers
 Ski Tow Bar

- Slide-top Rolling Cooler
 Stainless Steel Lift-Up Cleats

Grumman Journey J2485CPL 24' CRUISE, PRIVACY ROOM & LOUNGE CHAIRS

24' Tube Length 8' 6" Deck Width 25" Tube Diameter Max. Carrying Capacity: 3,145 lbs. Pontoon Boat Weight: 2,210 lbs. approx. Max. Allowable HP: 140

.090" Pontoon Tube Thickness 5052 Marine Grade Aluminum Alloy Max. People Capacity: 2,286 lbs. or 16 people



STANDARD FEATURES

- .190" Aluminum Motor Pod2 Stern Pedestal Swivel Fishing Chairs6 Step Aft Boarding Ladder
- 9 Ft. Recacril Bimini Top with 1.25 in. Ribbed Anodized

- 22 Gallon Fuel tank in motorwell
 Aft Bench with battery Cut Out & 40" Port Bench
 Built in Motor Well 21 gallon Fuel Tank
 Chrome Bow Cleats

- Classic Composite Steering Wheel
- Custom Molded Windscreen
- Custom Molded Windscreen
 Deluxe UV Stabilized Marine Vinyl Furniture
 Durable Aluminum Colored Corner Castings
 Fence Riser for Easy Deck Wash down
 Fence Riser for Easy Deck Wash down
 Full Length Extruded Pontoon Keel

- Full Length Pontoon M-Brackets
- Gate and Fence Finger Guards Heavy Duty Anodized Aluminum Side Trim
- Helm Seat with Arm RestsHooded Nose Cone with Spray Fins
- Instruments: Speedometer, Tachometer, Volt Gauge, Fuel Gauge, Trim Gauge.

- Jensen CD-MP3 Player with 2 Speakers
 Life-time Marine Grade Plywood Deck
 Molded Console with Side Door

- Navigation Lights
 Port Radiused Bow Bench with additional 30" Bow Bench
- Screened Closed-cell Marine PVC Side Walls with UV Protectant; Color & Graphics Choice
 Stainless Steel Bow Eye
 Stainless Steel Cup Holders
 Stainless Steel Fasteners

- Stainless Steel Port and Starboard Stern Tie Downs
- Starnless Steer Fort and Starboard Stern Tie Downs
 Starboard Radiused Bow Bench with additional 30" Bow Bench & Chaise Lounge
 Stern Aerated 9.5 Gallon Livewell with cup holders
 Textured Vinyl Floor


- Three Gates: 1 Rear Entry
- Two-Piece Sundeck with Privacy Room & Curtain

- 4 Speaker UpgradeAdditional Table Base
- Barbecue Grill
 Bimini Conversation LED Light
 Bimini Trailering Arm Kit
- · Bluetooth Radio Upgrade

- Camping Enclosure
 Cruise Docking Lights
 Heritage Console Upgrade
 Hummingbird Fish Finder
 Hummingbird GPS/Fish Finder
- Jensen CD-MP3 with 4 Speakers
- Jeriseri CD-MP3 With 4 Spr
 LED Navigation Lights
 Log Protective Side Keels
 MiniTri-toon
 Mooring Cover
 Seat Covers

- Ski Tow Bar

- Ski Tow Bai
 Slide-top Rolling Cooler
 Stainless Steel Lift-Up Cleats
 Tackle Tray with 2 Compartments
 Tackle Tray with 3 Compartments
 Under Deck Skin "Wave Tamer"



Pontoon Options





















- 1 Recliners with Armrests
- 2 MiniTri-toon 14 Ft. CenterTube

- 3 Ski Tow Bar
- 4 HumminBird Fishfinder
 With GPS
- 5 Tilt-out Trash Bin
- 6 Mooring Cover
- 7 Camping Enclosure
- 8 Barbeque Grill
- 9 3 Drawer Tackle Box
- 10 Slide-top Rolling Cooler









Our Warranty

Our warranty is simple. All Grumman pontoons have a five-year bow to stern limited warranty against defects in workmanship and materials.*

In addition, the following warranties against defects in and workmanship and material also apply:

- Aluminum: All welds, fences, supports, tubes and motor wells have a limited lifetime warranty to the original owner.
- Carpet: All carpet has a 5-year limited warranty.
- Furniture: All furniture has a 5-year limited warranty.
- Decking: The decking has a limited lifetime warranty.
- Furniture bases: All bases have a 5-year limited warranty.

- · Covers and bimini: Recacril has 5-year warranty. All other fabric materials have a 3-year warranty.
- Limited warranties that are offered and covered by product suppliers are subject to the terms and conditions of the suppliers.

The original owner may transfer the warranty within ten years of the original purchase. The new owner must register with Marathon Boat Group within 30 days of purchasing the pontoon boat. This gives the new owner the remainder of the original owner's warranties, except for the lifetime warranty which becomes a limited 10-year warranty. See your dealer for complete warranty information.

*Excludes options, 22 oz. carpet, or warranties offered by product suppliers.



Automatic Seam Welder



Water Management System



Fence Wall Aluminum or Polyplastic



M Brackets and Spray Hood

Esturnman

Grumman® is a registered trademark of the Northrop Grumman Corporation. All Grumman Pontoon boats meet or exceed all safety standards established by American Boat and Yacht Council (ABYC). Dimensions, capabilities, ratings and additional specifications plus complete warranty and service information are available from your dealer. All product illustrations and data within this catalog are based on information available at the time of publication. Hull weights are approximate. Due to publishing errors, on-going product modifications and/or component part availability, the manufacturer reserves the right to make changes without notice or obligation. You are advised to consult your local dealer for the most current product specifications prior to purchase. Some of the equipment shown separately or on products illustrated in this catalog may be optional at extra costs.

